

The **NOMAD POWER PRO XL** is a super-powerful lithium-based power source that combines three functions:

- **Booster for 12 V vehicles** (cars, SUVs, commercial vehicles, tractors, boats)
- **Power bank for powering or charging all electronic devices.**
- **Emergency light/torch..**

PROFESSIONAL LITHIUM BATTERY BOOSTER

- Equipped with a **high-performance lithium battery**, the NP PRO XL delivers an impressive 1000 A of current, while remaining ultra-compact in size.
- Its **exceptional starting power** means that any vehicle equipped with a lead-acid battery (liquid, gel, AGM, Start&Stop) 12 V, can be started in a matter of seconds, even if the battery is discharged.

⚠ do not start Lithium LiFePO4 batteries with this booster, as the voltages are not compatible.

SAFE STARTING

The **NOMAD POWER PRO 12 XL** protects both the battery and the electronic systems in your vehicle:

- Anti-spark technology,
- Short-circuit protection,
- Protection against polarity reversal.
- Excessive starting current protection,
- Thermal overload protection for the booster.

MOBILE ENERGY SOURCE

The massive 8 Ah battery capacity offers convenience and reassurance for those who need to stay connected on the move.

- The **USB-A ports (x2) and USB-C** are ideal for charging smartphones, tablets, smartwatches, and other electronic devices.
- Its **jack socket** allows electrical appliances to be powered.

EMERGENCY LIGHT


Single-LED lamp with 3 lighting modes: normal, strobe, SOS.

COMPACT FORMAT

Lightweight (2.170 kg) and **compact**, it easily fits in a breakdown vehicle or workshop.



Charging LED



Supplied with



Carrying case



USB-C to USB-C cable

Optional charger unit *Option*



087132 67 W USB charger



087101 15 W USB charger

 087354 15 W USB charger



STARTING			INPUT / OUTPUT				POWER BANK	LED	DIMENSIONS				
Lithium			START PETROL & DIESEL	I			INPUT	OUTPUT	✓	3 modes : Light SOS SPOT	cm	kg	m
Capacity per cell	Type	Full charge		1 V/C	0 V/C	Peak Battery							
8 Ah 118.4 Wh	LiPo	6,5 h (with 15 W charger) 2 h (with charger 67 W)	12 V	1000 A	1500 A	2000 A	1	USB-C : 5/9/12/15/20 V - 3A (60 W max)	1 USB-A : 5V - 2.4 A 1 USB-A QC 3.0 : 5V-3 A / 9 V-2 A / 12V-1.5 A 1 Jack DC : 12/16V - 10 A 1 USB-C : 5/9/12/15/20 V - 3A (60 W max)		34 x 11 x 23	2.170	0.7